



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Director

M/S. CHAITANYA REALTY

S. no. 83, H. no. 83/3/1/1/16, 83/5/3/2/2, 83/5A/3/2/1, Kalas, Pune -413105

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/228027/2021 dated 06 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including Schedule No.

6.

EC22B038MH166434

SIA/MH/MIS/228027/2021

New

B2

8(a) Building and Construction projects

e Protects Name of Project Proposed Residential Project at S. no. 83,

Hissa no. 83/3/1/1/16, 83/5/3/2/2, 83/5A/3/2/1, Kalas, Pune by M/s. Chaitanya Realty

7. Name of Company/Organization

Location of Project

8. 9. M/S. CHAITANYA REALTY

Maharashtra

TOR Date N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 25/07/2022

(e-signed) Manisha Patankar Mhaiskar **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/228027/2021 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s. Chaitanya Realty, S. no. 83, Hissa no. 83/3/1/1/16, 83/5/3/2/2, 83/5A/3/2/1, Kalas, Pune

Subject : Environment Clearance for Residential Construction Project at S. no.

83, Hissa no. 83/3/1/1/16, 83/5/3/2/2, 83/5A/3/2/1, Kalas, Pune by M/s.

Chaitanya Realty

Reference: Application no. SIA/MH/MIS/228027/2021

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 129th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 245th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/MIS/228027/2021				
2	Name of Project Proposed Residential Project at S. no. 83/3/1/1/16, 83/5/3/2/2, 83/5/ Kalas, Pune by M/s. Chaitanya Re					
3	Project Category	Category 'B2', Activity 8(a)				
4	Type of institution	Private				
5	Name of Project Proponent	Name: Mr. Dilip Mittal Address: 602, Pulachi wadi, Deccan Gymkhana, behind Sai Service station, Pune. Mobile number: 9850434343				
6	Name of Consultant	Er. Sayali Jagtap NABET acc no- NABET/EIA/2023/RA 0186				
7 ·	Applied for	New Greenfield Project				
8	Details of Previous EC	NA A				
9	Location of the project	S. no. 83, Hissa no. 83/3/1/1/16, 83/5/3/2/2, 83/5A/3/2/1, Kalas, Pune				
	Taluka	Haveli				
	Village	Kalas				
	District	Pune				
10	Latitude & Longitude	Latitude – 18.586728°N Longitude - 73.875874 ° E				
11	Total Plot Area (m ²)	4697.51sq. mt.				
12	Deductions (m ²)	00				

	NI at Diat area (m.2)		4607 51 ag mai					
13	Net Plot area(m ²)	4697.51sq.mt.						
14	Proposed FSI area (m ²)	15030.67 SQ.M.						
15	Proposed Non FSI area	9582.49 SQ.N						
16	Proposed Total Built-u	24613.16 SQ	.M.					
1.7	(FSI & Non-FSI) (m ²)							
17	Total built up are							
	(m ²)approved b	y						
	planning authority							
10	till date Ground coverage (m ²)	Pr 0/	NA as per UI)CDD				
18 19	Total Project Cost (Rs.)	X 70	Rs. 42.37 Cr	JCF K				
	CER as per MoEF			ot # 95 lolch				
20	circular dated 01/05/201		TOTAL CER CO	ISL. 63 IAKII				
21	Number of buildings & its		ration:					
21		onfigurati			Height			
	S. Building C No Name	Omigurau	1011		(m)			
	No Name				(111)			
	1 B	acement+	Ground parki	ng+ Podium 1+Pod	lium 43.70			
	Wing A Basement+ Ground parking+ Podium 1+Podium 2+12 floors 43.70							
	2 Wine D B	asement+	Ground parki	ng+ Podium 1+Pod	dium 43.70			
	Wing B 2+12 floors							
	3 Wing C Basement+ Ground parking+ Podium 1+Podium 43 2+12 floors							
	A Recement Ground parking Podium 1+Podium 43 70							
	Wing D 2+12 floors 2+12 floors							
22	Number of 184 flats							
	tenants and shops							
	Number of 912 persons							
	expected							
	residents/users		See and					
23	Water Budget							
J. J	Dry Season (CMD)			Season (CMD)				
	Fresh water(CMD):	83.00		h water(CMD):				
	Recycled water-	43.00	Recy	43.00				
	Flushing(CMD):		Flus					
-37	Recycled water-	1.3	Recycled water- 00 Gardening (CMD):					
:	Gardening (CMD):			Pak				
	Swimming pool	00		mming pool	00			
	makeup(Cum): Total Water	127.30		eup(Cum):	10600			
	l Water uirement(CMD)	126.00						
	Requirement(CMD)	115.00		117.00				
	Waste water generation	Waste water generation 115.00						
24	(CMD)	· Einofialet	ing/UGT (m²)		<u> </u>			
24	Source of water	rirengnt	ing /UGT (m3) 150 KLD					
25		T1	of the Current	PMC, Pune ne Ground 8 m bgl				
26	Rain Water	I.	of the Ground					
	Harvesting (RWH)	water						
		table:	1 CDXIII	CDYNT				
			d no of RWH	NA				
L		tank(s)	and Quantity:	<u> </u>				

		Location of the RWH tank(s):		NA				
		pits:	of recharge		2 Nos. (1 for roof top & 1 for surface run off)			
	1006 - 10	Size of re	echar	chamber 1m dimensions of well 175mm		of recharge bore diameter depth 60 pth of perforated or		
	Details of UGT tanks if any:	UGT Domestic Tank: Flushing Tank: Fire Tank:		129 KLD 43 KLD 150 KLD				
27	Sewage and Waste water	Sewage generation in CMD:		115 CMD				
		STP tech	nolog	gy:	MBBR			
		Capacity (CMD):			115 CMD	事 () () () () () ()		
28	Solid Waste Management during Construction Phase				y waste- 12 kg/d Wet waste- 8 kg/d			
	Solid Waste	Type		Quantit	ty (kg/day)	Treatment/disposal		
			Dry waste:		g/day	Handed over to		
	Operation Phase:					Swach		
		Wet was	te:	273.6 k	g/day	OWC of capacity 300		
						kg/day proposed		
		Hazardou waste:		NA		NA		
		Biomedical waste						
		E-Waste		7.6 kg/	day	Handed over to		
		CTD Cl. J.		<u> </u>		Swach		
		STP Sludge (Dry)		6 kg/day		Used as manure after OWC Treatment		
30	Green Belt Development	<u> </u>	<u> </u>			owe Treatment		
	Total RG area (m2):				UDCPR rule of RG is not ma	due to small plot, ndatory		
	Existing trees on plot			03				
	Number of trees to be planted		43					
	No of trees to be cut		-					
	Number of trees to be transplanted No of trees to be protected							
31	Power Requirement Source of power supply:		MS	SEDCL				
	* 11 7		1					

r				50 TZ	· · ·		·····	
	During		Phase:	50 Kw				
:	(Demand Load)							
	During	Operation pha	ase	1284.14 kW				
	(Connec	eted load):						
	During	Operation pha	ise	601.51 kW	·			
1	(Demand load):							
				1000 1/1/4				
	Transfo	rmer:		1000 KVA				
	DG set:			500 KVA				
	Fuel use	ed:	gjir asal	HSD				
32	Details o	f Energy saving:			es : 45/ ¹¹⁰ /21111			
	S. no Energy Conservation Measures Saving%							
	1	Energ	v efficier	nt Solar lighting				
		***. ***Zasan 1020		& driveway+				
				ighting + Solar	21.59) % + 3.() % (Solar	
	Magnetic .			em + Solar PV	PV)			
		panel						
33	Environ	nental Management	Plan bud	get during Con	struction	Phase		
	S.			<u> </u>		Total C	Cost per	
	No. Attributes Paramete			•		annum	•	
				(Rs. In Lacs)			Lacs)	
	1	Air Erosion control – dust suppression Rs. 5,00,000 /-						
		measures and barricading						
	2	Land Si	ite Sanitation & Safety Rs. 7,50,000 ,/-					
	3	Environment Environmental Monitoring Rs. 1,20,000/-						
	management							
	4 Health & safety Disinfection and Health Check-ups Rs. 1,50,000 /-							
	Total Rs. 15,20,000 /-							
34	Environmental Management Plan budget during Operation phase							
	S.No				Capital		Operation	
		Component	Descrip	otion	costRs.	In	al and	
					Lacs		Maintenan	
							cecost	
							(Rs. In	
							Lacs/yr)	
	1*	Sewage	STP o	f 115 KLD	Rs. 35,0	10 000 <u> </u>	Rs. 9,17,800	
		Treatment Plant	based	on MBBR	Ns. 33, /-	50,000	/- /-	
			technolo)g y	/- -		/- 	
1	2	Solid Waste	OWC	of capacity	D 0.60	000/	Rs. 3,36,840	
		Management	300 kg/d	day	Rs. 8,60,000 /-		/-	
	3	Bio-medical			**************************************			
		Rs. 1,00	,000/-					
		waste	DWII	140				
	4			ts Rs. 7	Rs. 7,52	,900 /-	Rs. 40,000	
1	Harvesting			10.7,0		/-		
	5	Green Belt	Trees pr	roposed	Rs. 11,	60,777	Rs. 1,85,724	
		Development		.	1 ' '		/-	
	6	6 Solar				00,000	Rs. 1,00,000	
	Linguist					,	/-	
	7	Environmental	Environ				D - 0 00 000	
	'	Monitoring	Monitor		-	-	Rs.8,90,000	
	1	1						

	9	Basement Ventillation		Exhaust Fans		Rs. 1270093 /-		Rs. 63504 /-	
		Total				Rs.1185099	0/-	Rs.2800808/-	
35 Traffic Management									
	Type	Type Req		Required as per DCR		Actual provided		Area	
	4-wheeler		96		99		3175		
	2 – whee	eler	446		472		1416		
	Cycle			ar a					
36	Details of Court cases / litigations w.r.t. the project and project location if any.				NA	w.			

3. Proposal is a new construction Project. Proposal has been considered by SEIAA in its 245th (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit coordinated STP plan & section which shows the overflow & diversion.
- 2. PP to submit the storm water calculation.
- 3. It is noted that, ramp is protruded outside; hence fire tender may not able to extinguish fire towards that side, PP to provide adequate fire hydrants along with other firefighting equipment.
- 4. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
 - 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
 - 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI 15030.67 m2, Non FSI-9582.49 m2, Total BUA-24613.16 m2. (Plan approval No. DPO/CC/3516/21, Date 08.02.2022).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring

- communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XIX. Diesel power generating sets proposed as source of backup power for elevators and

common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part

- of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- · V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar-Mhaiskar Member Secretary, SEIHAP 2

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.